

ISO 8217:2010(E) Table 2- Requirements for Marine Residual Fuels

[illegible]

Note:

- a. This category is based on a previously defined distillate DMC category that was described in ISO 8217:2005, Table 1. ISO8217:2005 has been withdrawn.
- b.  $1 \text{ mm}^2/\text{s}=1 \text{ cSt}$
- c. The purchaser shall define the maximum sulfur content in accordance with relevant statutory limitations. See 0.3 and Annex C of ISO8217:2010
- d. Due to reasons stated in ISO8217:2010, the implementation date for compliance with the limit shall be 1 July 2012. Until such time, the specified value is given for guidance.
- e. See Annex H, ISO 8217:2010
- f. Purchasers shall ensure that the pour point is suitable for equipment on board, especially if the ship operates in cold climates.

Global HQ :

387 Park Avenue South, 5th  
Floor, Manhattan, New York, NY  
10016, USA

+1 (646)-494-5101

West Africa HQ:

Old Maritime House, Government  
Wharf, Off Wallace Johnson Street,  
Freetown, Sierra Leone.  
+232 (0)76 604 664

African HQ :

2nd Floor, West Tower, Nelson Mandela  
Square, Crn 5th & Maude Street, Sandton  
2196, Johannesburg, South Africa  
+27 11 881 5942

